



AMT
AMT-ECO

THE HIGH PERFORMING CAR-SPECIALIST



Ansems CAR TRANSPORTERS **AMT/AMT-ECO**

LOW LOADER TRAILERS



FLATBED TRAILERS



MULTIPURPOSE TRAILERS



CAR TRANSPORTERS



TIPPERS



HARD TOP COVER TRAILERS



BOX VAN TRAILERS



HORSE TRAILERS



CONSTRUCTION TRAILERS





**“MY COMPANY
CAN'T DO WITHOUT
THE ANSSEMS AMT”**

AMT - Performs again and again

A very versatile, practical and multipurpose trailer was at the very core of our development process for the AMT car transport range. Maximum load capacity has been achieved by a smart construction process, using only light weight aluminium and steel components. A 100 % wood free construction helps to achieve incredible weight saving throughout the AMT family. With the use of a full width aluminium floor you can use the AMT for many different applications. Not only for car transport, the AMT also suitable for quad bikes, garden machinery, small tractors and diggers.



It's fully equipped

The Anssems AMT is fully equipped with a winch, lightweight aluminium ramps and easy to use propstands. The low floor height makes for simple loading and unloading. The side panels are just 18 cm high for easy accessing the vehicle that's being transported. As all Anssems Trailers, the AMT lighting, axles, coupling and braking system are Premium quality. You will enjoy the ATM car transporter for many trouble free years!



Most chosen accessories: wheelstops and weldmesh extensions.



A foldable jockey wheel makes a drive-trough possible (see table)



Reliable and clear lightning units



Marker lights at the front and sides



Aluminium ramps in integrated ramp holders




An adjustable winch support for left- and righthand use



One-hand use propstands



Accessorie: spare wheel with support





**“THE CAMPER WILL
PULL THE CAR
ON THE AMT-ECO”**

AMT-ECO

The AMT-ECO is built using the same high standards as rest of the AMT range, and specifically designed to save weight and cost. The maximum load capacity is achieved by smart construction and an open floor system. The AMT-ECO is equipped with aluminium ramps and simple to use propstands.

The AMT-ECO is very popular with Motor home owners for transporting a second car, classic car enthusiasts as well as race car owners.



Safe Transport

As a trailer manufacturer we take the safety of our customers and all road users very seriously. That's why we developed the Anssems over wheel strapping system that uses our Easyfix straps. In conjunction with a full width wheel stop and built in tie down points you can safely secure your vehicle in a matter of minutes.



Most chosen accessories: Easyfix straps and wheelstops



Aluminium high grip floor parts



Reliable and clear lightning units




Aluminium ramps in integrated ramp holders



Long Tube A-Frame



Reinforced steel mudguards



One-hand use propstands



Winch with winch support is an option

Premium brake-system


Standard equipped with jockey wheel

Built-in-tie-down points for wheelstop

Maintenance friendly construction

Aluminium floor parts

Propstands



Long Tube A-Frame

Marker lights at the front





Reflectors on the sides

Fixed tie down points

Premium quality axles and wheels

Reinforced steel mudguards

Position lights at the rear



Type	AMT 1200 340x170	AMT 1500 340x170	AMT 2500 340x180	AMT 2500 407x180	AMT 2500 440x190	AMT 3000 507x200
Gross capacity	1200 kg	1500 kg	2500 kg	2500 kg	2500 kg	3000 kg
Unladen trailer weight	350 kg	375 kg	400 kg	450 kg	500 kg	550 kg
Load capacity	850 kg	1125 kg	2100 kg	2050 kg	2000 kg	2450 kg
Axes pcs	1	2	2	2	2	2
Braked or unbraked version	Braked	Braked	Braked	Braked	Braked	Braked
Internal length (A)	340 cm	340 cm	340 cm	407 cm	440 cm	507 cm
Internal width (B)	170 cm	170 cm	180 cm	180 cm	190 cm	200 cm
Floor height (C)	51 cm	49 cm	51 cm	51 cm	51 cm	48 cm
A-Frame length (D)	145 cm					
Total length (E)	488 cm	488 cm	488 cm	555 cm	588 cm	655 cm
Total width (F)	216 cm	212 cm	230 cm	230 cm	240 cm	250 cm
Ramp length (G)	240 cm	240 cm	250 cm	250 cm	250 cm	250 cm
Side-panel height (H)	18 cm					
Ramp width (I)	25 cm	25 cm	30 cm	30 cm	30 cm	30 cm
Floor parts width	-	-	-	-	-	-
Jockey wheel	Automatic	Automatic	Automatic	Foldable	Foldable	Foldable
Wheel / tyresize	185/70R13	145/80R13	185/70R13	185/70R13	185/70R13	185/60R12

Accessories	AMT 1200 340x170	AMT 1500 340x170	AMT 2500 340x180	AMT 2500 407x180	AMT 2500 440x190	AMT 3000 507x200
Full width wheelstop with tying up options	✓	✓	✓	✓	✓	✓
Mesh sides (height 70 cm)	✓	✓	✓	✓	✗	✗
Strap set / Tie down wheel straps	✓	✓	✓	✓	✓	✓
Tie eye M8	✓	✓	✓	✓	✓	✓
Spare wheel with support	✓	✓	✓	✓	✓	✓
Axle shock absorber	✓	✓	✓	✓	✓	✓

Type	AMT 1300 ECO 340x180	AMT 1300 ECO 400x188	AMT 1500 ECO 400x188	AMT 2000 ECO 400x188
Gross capacity	1300 kg	1300 kg	1500 kg	2000 kg
Unladen Trailer weight	255 kg	270 kg	310 kg	335 kg
Load capacity	1045 kg	1030 kg	1190 kg	1665 kg
Axles pcs	1	1	2	2
Braked or unbraked version	Braked	Braked	Braked	Braked
Internal length (A)	340 cm	400 cm	400 cm	400 cm
Internal width (B)	180 cm	188 cm	188 cm	188 cm
Floor height (C)	49 cm	49 cm	48 cm	48 cm
A-Frame length (D)	123 cm	123 cm	123 cm	123 cm
Total length (E)	466 cm	526 cm	526 cm	526 cm
Total width (F)	227 cm	235 cm	229 cm	229 cm
Ramp length (G)	240 cm	240 cm	240 cm	240 cm
Side-panel height (H)	18 cm	18 cm	18 cm	18 cm
Ramp width (I)	25 cm	25 cm	25 cm	25 cm
Floor parts width (J)	53 cm	53 cm	53 cm	53 cm
Jockey wheel	✓	✓	✓	✓
Wheel / tyresize	185/70R13	185/70R13	145/80R13	155R13

Accessories	AMT 1300 ECO 340x180	AMT 1300 ECO 400x188	AMT 1500 ECO 400x188	AMT 3000 ECO 400x188
Full width wheelstop with tying up options	✓	✓	✓	✓
Winch	✓	✓	✓	✓
Strap set / Tie down wheel straps	✓	✓	✓	✓
Tie eye M8	✗	✗	✗	✗
Spare wheel with support	✓	✓	✓	✓
Axle shock absorber	✓	✓	✓	✓

"I MEET A LOT OF CAR ENTHUSIASTS THANKS TO MY ANSSEMS AMT"

Anssems

Typical Anssems

The Anssems Group has a complete program of transportation solutions for you with the brand names Anssems and Hulco. Anssems trailers has distinguished itself since 1977 by being reliable and sustainable. A generously selected standard equipment creates maximum user convenience.

Thanks to intercompany development, innovations and fully automated production processes, a high quality level is guaranteed. Anssems is one of the leading trailer producers in Europe.

Visit: www.anssems.eu



A Low loader trailers **BSX**



A Low loader trailers **GT-O / GT-R**



A Tippers **KSX**



A Tippers **KLT**



A Flatbed trailers **PSX**



A Flatbed trailers **ASX**



H Flatbed trailers **MEDAX**



A Flatbed trailers **PLT**



A Car transporters **AMT**



A Car transporters **AMT**



H Plant trailers **TERRAX-Basic / TERRAX**



A Construction trailers **PTS**



A Multipurpose trailers **MSX**



A Hard top cover trailers **GT-HT / GT-VT1**



A Box van trailers **GT-VT2 / GT-VT3 / GT-VT4**



A Horse trailers **PTH**

Your Anssems dealer

AB2001EN-AMT



The Anssems group

Anssems Aanhangwagens B.V.
Ericssonstraat 50
NL-5121 ML Rijen

Anssems Anhänger GmbH
Londoner Straße 15
D-48455 Bad Bentheim-Gildehaus

Anssems Remorques Sarl
Rue Pierre Brosolette
FR-58600 Garchizy

Hulco Trailers GmbH
Wiener Straße 34
D-48455 Bad Bentheim-Gildehaus